1/6



Fig. 1



Fig. 2

3/6



Fig. 3



Fig. 4

4/6



Fig. 5


110
FORMING A SUBSTRATE OF THE INTERIOR TRIM PART FROM A SHEET OF POROUS MATERIAL LOOSELY DISPOSED IN A FORMING TOOL.
112
TRIMMING THE PERIMETER OF THE SUBSTRATE.
114
VACUUM FORMING A COVER MATERIAL OVER THE SUBSTRATE.
116
TRIMMING AND BONDING ATTACHMENTS TO THE SUBSTRATE.
118

Fig. 6

210
PROVIDING A FORMING TOOL HAVING FIRST AND SECOND PARTS AND A RETAINING PORTION FORMED AT ITS OUTER PERIPHERY.
212
HEATING A SHEET OF POROUS MATERIAL.
214
LOOSELY DISPOSING THE SHEET BETWEEN A FIRST PART AND A SECOND PART OF THE FORMING TOOL.
216
APPLYING A PREDETERMINED LOW PRESSURE TO THE SHEET USING THE FIRST AND SECOND PARTS OF THE FORMING TOOL TO FORM THE SHEET.
218
MAINTAINING TENSION TO THE SHEET AT THE OUTER PERIPHERY OF THE FORMING TOOL TO RETAIN THE SHEET WITHIN THE FIRST AND SECOND PARTS.
220

Fig. 7

6/6


310
POSITIONING THE SUBSTRATE MADE OF POROUS MATERIAL ON A VACUUM FORMING FIXTURE.
312
DISPOSING THE COVER MATERIAL OVER THE SUBSTRATE AND DISPOSING AN ADHESIVE BETWEEN THE SUBSTRATE AND COVER MATERIAL.
314
HEATING THE ADHESIVE AND THE COVER MATERIAL.
316
VACUUM FORMING THE COVER MATERIAL TO THE SUBSTRATE.
318

Fig. 8